

HANOVER TOWNSHIP DRIVEWAY PERMIT / STREET OPENING

Residential ____ Non-Residential ____

Applicant: _____
Address: _____
Phone(s): _____
Zoning District: _____
Property Owner: _____
Address: _____
Directions to location: _____
Parcel #: _____

Fees: The following fees are established pursuant to Chapter 131 of the Hanover Township Code of Ordinances, Streets and Sidewalks, as amended.

- A. Street Access/Curb-Cut and Driveway Permits:
1. Residential \$100.00 per request
 2. Non-Residential \$200.00 per request
- B. Street Opening/Pavement Cut Permits:
1. Permit Fee \$100.00 plus \$1.00 per square foot over 24 square feet.

I certify that all information contained herein is true and correct.

Signature of Applicants / Owners

Date

OFFICE USE ONLY

Total Due: _____ Date paid/check # _____

Size of Pipe needed: _____

Road Foreman: _____
Signature


405. Driveways - access on to Township streets.

- A. General requirements. All driveways shall be located designed, constructed, and maintained in such a manner as not to interfere or be inconsistent with the design, maintenance and drainage of the street.
- B. General location restrictions. All driveways shall be permitted at locations in which:
 - 1. Sight distance is adequate to safely allow each permitted movement to be made into or out of the access driveway;
 - 2. The free movement of normal highway traffic is not impaired;
 - 3. The driveway will not create a hazard; and
 - 4. The driveway will not create an area of undue traffic congestion on the highway.
 - 5. Adequate sight distance at all driveways shall conform to PENNDOT latest Publication 282 (Highway Occupancy Permit Handbook) and Pennsylvania Code Title 76 Transportation, Chapter 441 (Access to Occupancy of Highways by Driveways and Local Roads).
- C. Residential driveway. Within the right-of-way of Township streets, residential driveways shall be constructed in accordance with Standard Detail No. 6 – Private Driveway Detail
- D. Grade. Driveways shall be constructed to conform to the grade of the finished shoulders. All descending or ascending grades of driveways shall begin at the street right-of-way. No stormwater shall be permitted to drain onto Township streets.


406. Parking areas and driveways on lots.

- A. Minimum paving standards.
 - 1. For driveways and parking areas for single-family: none.
 - 2. For all driveways and parking areas other than single-family shall have an aggregate base course, a bituminous binder course and a bituminous wearing course with sufficient structural strength to carry anticipated wheel loads.
- B. Parking area standards.
 - 3. Slopes.
 - (a) Maximum 5% cross slope.


PRIVATE DRIVEWAY



PLAN VIEW



DRIVEWAY PROFILE WITH DRAIN PIPE



DRIVEWAY PROFILE WITHOUT DRAIN PIPE

DRIVEWAY SPECIFICATIONS

BITUMINOUS

- 8" AGGREGATE BASE COURSE
- 1 1/2" BITUMINOUS WEARING COURSE


CONCRETE

- 4" CRUSHED 2B STONE BASE
- 6" 4000 PSICLASS A CONCRETE DRIVEWAY

AGGREGATE

- 6" PA NO. 2A LIMESTONE

PREPARED BY:



PRIVATE DRIVEWAY DETAIL

STANDARD DETAILS

PREPARED FOR

TOWNSHIP OF HANOVER

PROJECT NO. 09133

DRAWN: JAL

CHECKED: DAS

DATE: SEPTEMBER 2009

SCALE: AS NOTED

DETAIL No: 6 OF 8

15/2009 (1/2009) \09133 - Hanover Typ - SAL00 update \09133-PRIVATE DRIVEWAY DETAIL.dgn